# Safety Data Sheet according to (EC) No 1907/2006 as amended



Metylan Ovalit TM

SDS No. : 128186
V003.3
Revision: 22.05.2023
printing date: 13.07.2025
Replaces version from: 11.05.2022

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

**1.1. Product identifier**
Metylan Ovalit TM

**1.2. Relevant identified uses of the substance or mixture and uses advised against**
Intended use:
Wallcovering adhesive, dispersion

**1.3. Details of the supplier of the safety data sheet**
Henkel AG & Co. KGaA
Henkelstr. 67
40589 Düsseldorf

Germany

Phone: +49 211 797 0

SDSinfo.Adhesive@henkel.com
For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkel-adhesives.com.

**1.4. Emergency telephone number**
The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

Further information is available at Poison Control Centers.

## SECTION 2: Hazards identification

**2.1. Classification of the substance or mixture**

**Classification (CLP):**
The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

**2.2. Label elements**

**Label elements (CLP):**

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

**Supplemental information** Contains: Isothiazolinone mixture (C(M)IT/MIT (3:1)) May produce an allergic reaction.

**Precautionary statement:** P102 Keep out of reach of children.

**2.3. Other hazards**

None if used properly.

Following substances are present in a concentration ≥ the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration ≥ the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

## SECTION 3: Composition/information on ingredients

**3.2. Mixtures**

**Declaration of the ingredients according to CLP (EC) No 1272/2008:**

| Hazardous components<br>CAS-No.<br>EC Number<br>REACH-Reg No. | Concentration | Classification | Specific Conc. Limits, M-factors and ATEs | Add. Information |
|---|---|---|---|---|
| Isothiazolinone mixture<br>(C(M)IT/MIT (3:1))<br>55965-84-9<br>01-2120764691-48 | 0,0001- < 0,0015 %<br>( 1 ppm- < 15 ppm) | Aquatic Chronic 1, H410<br>Skin Corr. 1C, H314<br>Acute Tox. 2, Dermal, H310<br>Acute Tox. 3, Oral, H301<br>Eye Dam. 1, H318<br>Acute Tox. 2, Inhalation, H330<br>Aquatic Acute 1, H400<br>Skin Sens. 1A, H317 | Skin Irrit. 2; H315; C 0,06 - < 0,6 %<br>Skin Corr. 1C; H314; C >= 0,6 %<br>Eye Irrit. 2; H319; C 0,06 - < 0,6 %<br>Eye Dam. 1; H318; C >= 0,6 %<br>Skin Sens. 1A; H317; C >= 0,0015 %<br>=====<br>M acute = 100<br>M chronic = 100 | |

**For full text of the H - statements and other abbreviations see section 16 "Other information".**
**Substances without classification may have community workplace exposure limits available.**

## SECTION 4: First aid measures

**4.1. Description of first aid measures**

General information:
In case of adverse health effects seek medical advice.

Inhalation:
Move to fresh air, consult doctor if complaint persists.

Skin contact:
Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact:
Rinse immediately with plenty of running water, seek medical advice if necessary.

Ingestion:
Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

**4.2. Most important symptoms and effects, both acute and delayed**
No data available.

**4.3. Indication of any immediate medical attention and special treatment needed**
See section: Description of first aid measures

## SECTION 5: Firefighting measures

**5.1. Extinguishing media**
**Suitable extinguishing media:**
carbon dioxide, foam, powder, water spray jet, fine water spray

**Extinguishing media which must not be used for safety reasons:**
High pressure waterjet

**5.2. Special hazards arising from the substance or mixture**
In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

**5.3. Advice for firefighters**
Wear self-contained breathing apparatus.
Wear protective equipment.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**
Wear protective equipment.
Avoid contact with skin and eyes.
Danger of slipping on spilled product.

**6.2. Environmental precautions**
Do not empty into drains / surface water / ground water.

**6.3. Methods and material for containment and cleaning up**
Remove with liquid-absorbing material (sand, peat, sawdust).
Dispose of contaminated material as waste according to Section 13.

**6.4. Reference to other sections**
See advice in section 8

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling**
Avoid skin and eye contact.

Hygiene measures:
Wash hands before work breaks and after finishing work.
Do not eat, drink or smoke while working.

**7.2. Conditions for safe storage, including any incompatibilities**
Store frost-free.

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

**7.3. Specific end use(s)**
Wallcovering adhesive, dispersion

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

**Occupational Exposure Limits**

Valid for
Germany

| Ingredient [Regulated substance] | ppm | mg/m³ | Value type | Short term exposure limit category / Remarks | Regulatory list |
|---|---|---|---|---|---|
| Starch<br>9005-25-8 | | | Short Term Exposure Classification: | Category II: substances with a resorptive effect. | TRGS 900 |
| Starch<br>9005-25-8 | | 10 | Exposure limit(s): | 2<br>If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7). | TRGS 900 |
| Starch<br>9005-25-8 | | 1,25 | Exposure limit(s): | If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7). | TRGS 900 |

**Predicted No-Effect Concentration (PNEC):**

| Name on list | Environmental Compartment | Exposure period | Value | | | | Remarks |
|---|---|---|---|---|---|---|---|
| | | | mg/l | ppm | mg/kg | others | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1)<br>55965-84-9 | aqua (freshwater) | | 0,00339 mg/l | | | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1)<br>55965-84-9 | aqua (marine water) | | 0,00339 mg/l | | | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1)<br>55965-84-9 | sewage treatment plant (STP) | | 0,23 mg/l | | | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1)<br>55965-84-9 | sediment (freshwater) | | | | 0,027 mg/kg | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1)<br>55965-84-9 | sediment (marine water) | | | | 0,027 mg/kg | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1)<br>55965-84-9 | Soil | | | | 0,01 mg/kg | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1)<br>55965-84-9 | aqua (intermittent releases) | | 0,00339 mg/l | | | | |

**Derived No-Effect Level (DNEL):**

| Name on list | Application Area | Route of Exposure | Health Effect | Exposure Time | Value | Remarks |
|---|---|---|---|---|---|---|
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | Workers | inhalation | Long term exposure - local effects | | 0,02 mg/m3 | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | Workers | inhalation | Acute/short term exposure - local effects | | 0,04 mg/m3 | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | General population | inhalation | Long term exposure - local effects | | 0,02 mg/m3 | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | General population | inhalation | Acute/short term exposure - local effects | | 0,04 mg/m3 | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | General population | oral | Long term exposure - systemic effects | | 0,09 mg/kg | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | General population | oral | Acute/short term exposure - systemic effects | | 0,11 mg/kg | |

**Biological Exposure Indices:**
None

**8.2. Exposure controls:**

Respiratory protection:
Ensure adequate ventilation.

Hand protection:
Recommended are gloves made from Nitril rubber ( Material thickness >0,1 mm, Perforation time < 30s).Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

Eye protection:
Goggles which can be tightly sealed.

## SECTION 9: Physical and chemical properties

**9.1. Information on basic physical and chemical properties**

| | |
|---|---|
| Delivery form | liquid |
| Colour | white |
| Odor | Typical |
| Physical state | liquid |
| Melting point | Currently under determination |
| Initial boiling point | Currently under determination |
| Flammability | Currently under determination |
| Explosive limits | Currently under determination |
| Flash point | Currently under determination |
| Auto-ignition temperature | Currently under determination |
| Decomposition temperature | Currently under determination |
| pH (20 °C (68 °F); Conc.: 100 % product) | 6,8 - 7,8 pH-value, universal method |
| Viscosity (kinematic) | Currently under determination |
| Viscosity, dynamic (Haake; Instrument: Haake VT 550; 23 °C (73.4 °F); speed of rotation: 40 min-1; Spindle No: 31) | 5.000 - 6.000 mPa.s QP2399.0; Viscosity with Haake VT 550 Viscotester |
| Solubility (qualitative) | Currently under determination |
| Partition coefficient: n-octanol/water | Currently under determination |

| | |
|---|---|
| Vapour pressure | Currently under determination |
| Density | 1,01 - 1,03 g/cm3 DIN/EN ISO 2811-1 |
| (20 °C (68 °F)) | |
| Relative vapour density: | Currently under determination |
| Particle characteristics | Currently under determination |

**9.2. Other information**

Other information not applicable for this product

## SECTION 10: Stability and reactivity

**10.1. Reactivity**
None if used for intended purpose.

**10.2. Chemical stability**
Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**
See section reactivity

**10.4. Conditions to avoid**
None if used for intended purpose.

**10.5. Incompatible materials**
None if used properly.

**10.6. Hazardous decomposition products**
None known.

## SECTION 11: Toxicological information

**General toxicological information:**
An allergic reaction cannot be excluded after repeated skin contact.

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute oral toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Species | Method |
|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | LD50 | 66 mg/kg | rat | OECD Guideline 401 (Acute Oral Toxicity) |

**Acute dermal toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Species | Method |
|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | LD50 | 87,12 mg/kg | rabbit | OECD Guideline 402 (Acute Dermal Toxicity) |

**Acute inhalative toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Test atmosphere | Exposure time | Species | Method |
|---|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | LC50 | 0,171 mg/l | dust/mist | 4 h | rat | OECD Guideline 403 (Acute Inhalation Toxicity) |

**Skin corrosion/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | corrosive | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |

**Serious eye damage/irritation:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | Category 1 (irreversible effects on the eye) | | rabbit | not specified |

**Respiratory or skin sensitization:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Test type | Species | Method |
|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | sensitising | Guinea pig maximisation test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | sensitising | Mouse local lymphnode assay (LLNA) | mouse | not specified |

**Germ cell mutagenicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | ambiguous | bacterial reverse mutation assay (e.g Ames test) | with and without | | equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | positive | in vitro mammalian chromosome aberration test | with and without | | EPA OPP 84-2 (Mutagenicity Testing) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | positive | mammalian cell gene mutation assay | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | negative | DNA damage and repair assay, unscheduled DNA synthesis in mammalian cells in vitro | not applicable | | OECD Guideline 482 (Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | negative | oral: gavage | | mouse | OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | negative | oral: gavage | | mouse | OECD Guideline 475 (Mammalian Bone Marrow Chromosome Aberration Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | negative | oral: feed | | Drosophila melanogaster | OECD Guideline 477 (Genetic Toxicology: Sex-linked Recessive Lethal Test in Drosophila melanogaster) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | negative | oral: gavage | | rat | OECD Guideline 486 (Unscheduled DNA Synthesis (UDS) Test with Mammalian Liver Cells in vivo) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | negative | oral: gavage | | rat | EPA OPP 84-2 (Mutagenicity Testing) |

**Carcinogenicity**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous components CAS-No. | Result | Route of application | Exposure time / Frequency of treatment | Species | Sex | Method |
|---|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | not carcinogenic | oral: drinking water | 2 y daily | rat | male/female | OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |

**Reproductive toxicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result / Value | Test type | Route of application | Species | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | NOAEL P 30 ppm<br>NOAEL F1 300 ppm<br>NOAEL F2 300 ppm | Two generation study | oral: drinking water | rat | OECD Guideline 416 (Two-Generation Reproduction Toxicity Study) |

**STOT-single exposure:**

No data available.

**STOT-repeated exposure:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | Result / Value | Route of application | Exposure time / Frequency of treatment | Species | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | NOAEL 16,3 mg/kg | oral: drinking water | 90 d<br>daily | rat | OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | NOAEL 0.34 mg/m3 | inhalation: aerosol | 90 d<br>6 h/d, 5 d/w | rat | OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | NOAEL 2,625 mg/kg | dermal | 90 d<br>6 h/d | rat | EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) |

**Aspiration hazard:**

No data available.

**11.2 Information on other hazards**

not applicable

## SECTION 12: Ecological information

**General ecological information:**
Do not empty into drains, soil or bodies of water.

**12.1. Toxicity**

**Toxicity (Fish):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | LC50 | 0,22 mg/l | 96 h | Oncorhynchus mykiss | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | NOEC | 0,098 mg/l | 28 d | Oncorhynchus mykiss | OECD Guideline 210 (fish early lite stage toxicity test) |

**Toxicity (aquatic invertebrates):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | EC50 | 0,12 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

**Chronic toxicity (aquatic invertebrates):**

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | NOEC | 0,0036 mg/l | 21 d | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |

**Toxicity (Algae):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | NOEC | 0,00064 mg/l | 48 h | Skeletonema costatum | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | EC50 | 0,0063 mg/l | 72 h | Skeletonema costatum | OECD Guideline 201 (Alga, Growth Inhibition Test) |

**Toxicity (microorganisms):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | EC20 | 0,97 mg/l | 3 h | activated sludge | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |

### 12.2. Persistence and degradability

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | Result | Test type | Degradability | Exposure time | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | inherently biodegradable | aerobic | 100 % | 28 d | OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | readily biodegradable | aerobic | > 60 % | 28 d | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |

### 12.3. Bioaccumulative potential

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | Bioconcentration factor (BCF) | Exposure time | Temperature | Species | Method |
|---|---|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | 3,6 | | | calculation | QSAR (Quantitative Structure Activity Relationship) |

**12.4. Mobility in soil**

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | LogPow | Temperature | Method |
|---|---|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | > -0,71 - 0,75 | 20 °C | OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method) |

**12.5. Results of PBT and vPvB assessment**

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | PBT / vPvB |
|---|---|
| Isothiazolinone mixture (C(M)IT/MIT (3:1))<br>55965-84-9 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |

**12.6. Endocrine disrupting properties**

not applicable

**12.7. Other adverse effects**

No data available.

## SECTION 13: Disposal considerations

**13.1. Waste treatment methods**

Product disposal:
Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:
Use packages for recycling only when totally empty.

Waste code
080410

## SECTION 14: Transport information

**14.1. UN number or ID number**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.2. UN proper shipping name**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.3. Transport hazard class(es)**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.4. Packing group**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.5. Environmental hazards**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.6. Special precautions for user**

Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

| | |
|---|---|
| Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009): | Not applicable |
| Prior Informed Consent (PIC) (Regulation (EU) No 649/2012): | Not applicable |
| Persistent organic pollutants (Regulation (EU) 2019/1021): | Not applicable |

**15.2. Chemical safety assessment**

A chemical safety assessment has not been carried out.

**National regulations/information (Germany):**

| | |
|---|---|
| WGK: | WGK 1: slightly hazardous to water (Ordinance on facilities for handling substances that are hazardous to water (AwSV) )<br>Classification according to AwSV, Annex 1 (5.2) |
| Storage class according to TRGS 510: | 10 |

## SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text
of all abbreviations indicated by codes in this safety data sheet are as follows:

H301 Toxic if swallowed.
H310 Fatal in contact with skin.
H314 Causes severe skin burns and eye damage.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H330 Fatal if inhaled.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.

| | |
|---|---|
| ED: | Substance identified as having endocrine disrupting properties |
| EU OEL: | Substance with a Union workplace exposure limit |
| EU EXPLD 1: | Substance listed in Annex I, Reg (EC) No. 2019/1148 |
| EU EXPLD 2 | Substance listed in Annex II, Reg (EC) No. 2019/1148 |
| SVHC: | Substance of very high concern (REACH Candidate List) |
| PBT: | Substance fulfilling persistent, bioaccumulative and toxic criteria |
| PBT/vPvB: | Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very bioaccumulative criteria |
| vPvB: | Substance fulfilling very persistent and very bioaccumulative criteria |

**Further information:**

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel´s Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,
Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

**Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.**