



Revision Number: 002.1

Issue date: 12/18/2025

1. IDENTIFICATION

Product name: FESTERMIP APP PS 4.0 LISO10X1M (MX) **IDH number:** 1720152
Product type/Recommended use: Roof and sealing strips
Restriction of Use: None identified **Region:** Mexico
Company address: Henkel Capital S.A. de C.V. **Contact information:** Telephone: +52 (55) 33003000
 Boulevard Magnocentro 8 – P2 SETIQ: Phone 01-800-00-214-00 (5559-1588)24 hours.
 Centro Urbano San Fernando la Herradura SETIQ,,Telephone 01-800-00-214-00 (5559-1588)
 Huixquilucan Edo. de Mexico, C.P. 52760

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: H315 - CAUSES SKIN IRRITATION.
 H319 - CAUSES SERIOUS EYE IRRITATION.
 H335 - MAY CAUSE RESPIRATORY IRRITATION.
 H336 - MAY CAUSE DROWSINESS OR DIZZINESS.
 H350 - MAY CAUSE CANCER.
 H372 - CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
EYE IRRITATION	2A
CARCINOGENICITY	1A
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	1

PICTOGRAM(S)



Precautionary Statements

Prevention: P201 - Obtain special instructions before use.
 P202 - Do not handle until all safety precautions have been read and understood.
 P260 - Do not breathe dust.
 P264 - Wash affected area thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P271 - Use only outdoors or in a well-ventilated area.
 P280 - Wear protective gloves, clothing, eye and face protection.

Response: P302+P352 - IF ON SKIN: Wash with plenty of water.
P304+P340+P312 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical attention.
P332+P313 - If skin irritation occurs: Get medical attention.
P337+P313 - If eye irritation persists: Get medical attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.
Storage: P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.
Disposal: P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Other hazards Not available.

Classification complies with NOM-018-STPS-2015 and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	UN no.:	Percentage*
Asphalt	8052-42-4	1999	30 - 60
Limestone	1317-65-3		10 - 30
Quartz (SiO ₂), <1% respirable	14808-60-7		5 - 10
Perlite, expanded	93763-70-3		0.1 - 1
Magnesium carbonate	546-93-0		0.1 - 1
Ethene, homopolymer	9002-88-4		0.1 - 1

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

First Aid Measures by likely routes of exposure

Inhalation: Immediately remove victim to fresh air. Get immediate medical attention.

Skin contact: Cool melted product on skin with plenty of water. Do not remove solidified product.

Eye contact: If eye irritation persists, consult a specialist.

Ingestion: Not applicable

Most important symptoms and effects (acute and delayed): The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.

Indication of any immediate medical attention / special treatment needed: Treat symptomatically.

5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray (fog), foam, dry chemical or carbon dioxide.

Improper extinguishing agents:	Not available.
Special firefighting procedures:	Fire fighters should wear positive pressure self-contained breathing apparatus (SCBA).
Unusual fire or explosion hazards:	In case of fire toxic gases can be released.
Hazardous combustion products:	In case of fire toxic gases can be released.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Wear appropriate protective equipment and clothing during clean-up. Do not let product enter drains. Do not dispose of in wastepaper bin or trash-can. Do not discharge into surface water/ground water. Prevent contamination of soil and water.
Clean-up methods:	Remove with liquid-absorbing material (sand, peat, sawdust). Keep in suitable and closed containers for disposal. Wear protective clothing, gloves and safety glasses. Absorb liquid with sand. Collect it in PVC or PE containers Cover with dry sand, remove mechanically.

7. HANDLING AND STORAGE

Handling:	Avoid naked flames, sparking and sources of ignition. Keep in a cool, well ventilated area.
Storage:	Ensure adequate ventilation. Store in a dry place. Store in sealed original container.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Asphalt	0.5 mg/m ³ TWA (as benzene solubles) Inhalable fume.	None	None	None
Limestone	10 mg/m ³ TWA Inhalable particles. 3 mg/m ³ TWA Respirable particles. 10 mg/m ³ TWA Total dust.	5 mg/m ³ PEL Respirable fraction. 15 mg/m ³ PEL Total dust. 5 mg/m ³ TWA Respirable fraction. 50 MPPCF TWA Total dust. 15 mg/m ³ TWA Total dust. 15 MPPCF TWA Respirable fraction.	None	None
Quartz (SiO ₂), <1% respirable	0.025 mg/m ³ TWA Respirable fraction.	0.05 mg/m ³ TWA (Respirable dust.) (Respirable dust.) 0.025 mg/m ³ OSHA_ACT (Respirable dust.) 0.05 mg/m ³ PEL Respirable dust. 2.4 MPPCF TWA Respirable 0.1 mg/m ³ TWA Respirable	None	None

Engineering controls:	Ensure good ventilation/suction at the workplace.
Respiratory protection:	Suitable breathing mask when there is inadequate ventilation.
Eye/face protection:	Wear protective glasses.
Skin protection:	Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Solid
Color:	Dark
Odor:	Oily
Odor threshold:	Not available.
pH:	Not applicable
Vapor pressure:	Not available.
Boiling point/range:	Not applicable
Melting point/ range:	> 150.0 °C (> 302°F)
Density/Relative density:	Not available.
Relative vapor density:	Not applicable
Flash point:	> 260.00 °C (> 500°F)
Flashback:	No information available.
Flame projection:	Not evaluated.
Flammable/Explosive limits - lower:	Not applicable
Flammable/Explosive limits - upper:	Not applicable
Autoignition temperature:	> 300.00 °C (572°F)
Flammability:	Not applicable

Evaporation rate:	Not determined
Solubility:	Not available.
Partition coefficient n-octanol/water (logarithmic value):	Not applicable
VOC content:	Not applicable
Dynamic viscosity:	7,000 mPa.s
Kinematic viscosity:	Not available.
Particle characteristics:	Not available.
Decomposition temperature:	Not available.

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions of storage and use.
Reactivity:	Not available.
Hazardous reactions:	None under normal processing.
Hazardous decomposition products:	None if used for intended purpose.
Incompatible materials:	None if used for intended purpose.
Conditions to avoid:	None if used for intended purpose.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure	Skin, Inhalation, Eyes, Ingestion
----------------------------------	-----------------------------------

Potential Health Effects/Symptoms

Inhalation: May cause dizziness, incoordination, headache, nausea, and vomiting. Chronic exposure to dust containing quartz silica in excess of exposure limits can cause silicosis. May cause respiratory tract irritation.

Skin contact: Causes skin irritation.

Eye contact: Causes serious eye irritation.

Ingestion: May cause gastrointestinal tract irritation if swallowed. Not expected under normal conditions of use.

Hazardous Component(s)	LD50s and LC50s
Asphalt	None
Limestone	None
Quartz (SiO ₂), <1% respirable	None
Perlite, expanded	None
Magnesium carbonate	None
Ethene, homopolymer	None

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
Asphalt	Irritant		Central nervous system Respiratory
Limestone	Nuisance dust		
Quartz (SiO ₂), <1% respirable			Immune system Lung Some evidence of carcinogenicity
Perlite, expanded	Nuisance dust		
Magnesium carbonate	Irritant		Gastrointestinal Immune system
Ethene, homopolymer			

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Asphalt	Known To Be Human Carcinogen.	Group 2B	No
Limestone	No	No	No
Quartz (SiO ₂), <1% respirable	Known To Be Human Carcinogen.	Group 1	Yes
Perlite, expanded	No	No	No
Magnesium carbonate	No	No	No
Ethene, homopolymer	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information: Do not empty into drains, soil or bodies of water.

Ecotoxicity: Not available.

Persistence and degradability: Not available.

Bioaccumulative potential: Not available.

Mobility: Not available.

Other ecological information: Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of the material in an approved industrial waste landfill.

14. TRANSPORT INFORMATION

Road transport ADR:

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

International Air Transportation (ICAO/IATA)

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

Water Transportation (IMO/IMDG)

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

15. REGULATORY INFORMATION

No additional information

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 3, 4, 11

Prepared by: Product Safety and Regulatory Affairs
Issue date: 12/18/2025

DISCLAIMER: This information is considered correct, but it's not exhaustive and will be used only as a guide, which is based on current knowledge of the chemical substance(s) and/or mixture and apply to the appropriate product for safety precautions.

The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Capital does not assume responsibility for any results obtained by persons over whose methods Henkel Capital has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Capital's products. In light of the foregoing, Henkel Capital specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Capital's products. Henkel Capital further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Mexican Official Standard (NOM-018-STPS-2015) of the harmonized system for the identification and communication of hazards and risks from hazardous chemicals in the workplace and provides information in accordance with Mexican law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.