



Revision Number: 002.1

Issue date: 08/06/2025

1. IDENTIFICATION

Product name:	Fester CR-Nanotech	IDH number:	2126736
Product type/	Mortar and concrete additives		
Recommended use:			
Restriction of Use:	None identified	Region:	Mexico
Company address:		Contact information:	
Henkel Capital S.A. de C.V.		Telephone: +52 (55) 33003000	
Boulevard Magnocentro 8 – P2		SETIQ: Phone 01-800-00-214-00 (5559-1588)24 hours.	
Centro Urbano San Fernando la Herradura		SETIQ,, Telephone 01-800-00-214-00 (5559-1588)	
Huixquilucan Edo. de Mexico, C.P. 52760			

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER: H315 - CAUSES SKIN IRRITATION.
 H318 - CAUSES SERIOUS EYE DAMAGE.
 H335 - MAY CAUSE RESPIRATORY IRRITATION.
 H350 - MAY CAUSE CANCER.
 H372 - CAUSES DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

HAZARD CLASS	HAZARD CATEGORY
SKIN IRRITATION	2
SERIOUS EYE DAMAGE	1
CARCINOGENICITY	1A
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	1

PICTOGRAM(S)



Precautionary Statements

Prevention:

- P201 - Obtain special instructions before use.
- P202 - Do not handle until all safety precautions have been read and understood.
- P260 - Do not breathe dust.
- P264 - Wash affected area thoroughly after handling.
- P270 - Do not eat, drink or smoke when using this product.
- P271 - Use only outdoors or in a well-ventilated area.
- P280 - Wear protective gloves, clothing, eye and face protection.

Response: P302+P352 - IF ON SKIN: Wash with plenty of water.
P304+P340+P312 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313 - IF exposed or concerned: Get medical attention.
P332+P313 - If skin irritation occurs: Get medical attention.
P362+P364 - Take off contaminated clothing and wash it before reuse.

Storage: P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
P405 - Store locked up.

Disposal: P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Other hazards Not available.

Classification complies with NOM-018-STPS-2015 and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	UN no.:	Percentage*
Cement, portland, chemicals, low chromate	65997-15-1		10 - 30
Quartz (SiO ₂), <1% respirable	14808-60-7		10 - 30
fumaric acid	110-17-8		10 - 30
Sodium carbonate	497-19-8		10 - 30
Calcium distearate	1592-23-0		10 - 30

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

First Aid Measures by likely routes of exposure

Inhalation: Move to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Seek medical attention immediately.

Skin contact: Remove contaminated clothing and footwear. Wash affected area immediately with soap and water. If skin irritation persists, call a physician.

Eye contact: Wash with plenty of water immediately and continue for several minutes, holding eyelid open. Consult a doctor. Do not rub eyes; mechanical action may cause corneal damage. Check for and remove any contact lenses.

Ingestion: Do not induce vomiting. The victim should drink several glasses of water to dilute the ingested substance. Seek medical attention immediately.

Most important symptoms and effects (acute and delayed): The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.

Indication of any immediate medical attention / special treatment needed: Not available.

5. FIRE FIGHTING MEASURES

Extinguishing media:	Water spray (fog), foam, dry chemical or carbon dioxide. Avoid using a direct stream of water.
Improper extinguishing agents:	High pressure waterjet
Special firefighting procedures:	Wear full protective clothing. Wear self-contained breathing apparatus.
Unusual fire or explosion hazards:	In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO ₂) can be released.
Hazardous combustion products:	Irritating and toxic gases or fumes may be released during a fire.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Do not let product enter drains. Dispose of according to Federal, State and local governmental regulations.
Clean-up methods:	Remove mechanically. Rinse away residue with plenty of water. Avoid dust formation. Avoid breathing dust. Avoid skin and eye contact. Do not empty into drains / surface water / ground water.

7. HANDLING AND STORAGE

Handling:	Keep in a cool, well ventilated area. Keep container closed. When using do not eat, drink or smoke. Keep out of the reach of children.
Storage:	Ensure adequate ventilation. Store in sealed original container. Store in a dry place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Cement, portland, chemicals, low chromate	1 mg/m3 TWA Respirable fraction.	5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust. 50 MPPCF TWA	None	None
Quartz (SiO ₂), <1% respirable	0.025 mg/m3 TWA Respirable fraction.	0.05 mg/m3 TWA (Respirable dust.) (Respirable dust.) 0.025 mg/m3 OSHA_ACT (Respirable dust.) 0.05 mg/m3 PEL Respirable dust. 2.4 MPPCF TWA Respirable 0.1 mg/m3 TWA Respirable	None	None
Calcium distearate	3 mg/m3 TWA Respirable fraction. 3 mg/m3 TWA Respirable fraction. 10 mg/m3 TWA Inhalable fraction.	None	None	None

Engineering controls:	Ensure good ventilation/suction at the workplace.
Respiratory protection:	dust mask
Eye/face protection:	Safety glasses. Do not wear contact lenses.
Skin protection:	Protective shoes. Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	powder
Color:	Light gray / grey
Odor:	Odourless / Odorless
Odor threshold:	Not available.
pH:	Not available.
Vapor pressure:	Not available.
Boiling point/range:	Not available.
Melting point/ range:	Not available.
Density/Relative density:	Not available.
Relative vapor density:	Not available.
Flash point:	Not applicable
Flammable/Explosive limits - lower:	Not available.
Flammable/Explosive limits - upper:	Not available.
Autoignition temperature:	Not available.
Flammability:	Not applicable
Evaporation rate:	Not available.
Solubility:	Not available.
Partition coefficient n-octanol/water (logarithmic value):	Not available.
VOC content:	Not available.
Dynamic viscosity:	Not available.
Kinematic viscosity:	Not available.

Particle characteristics:
Decomposition temperature:

Not available.
Not available.

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.

Reactivity: Not available.

Hazardous reactions: None under normal processing.

Hazardous decomposition products: None if used for intended purpose.

Incompatible materials: Strong oxidizing agents. Acids.

Conditions to avoid: Humidity Avoid strong oxidizing agents. Avoid contact with acids.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: Chronic exposure to dust containing quartz silica in excess of exposure limits can cause silicosis. May cause respiratory tract irritation.
Skin contact: Causes skin irritation.
Eye contact: Causes serious eye damage.
Ingestion: Not expected under normal conditions of use. May cause gastrointestinal tract irritation if swallowed.

Hazardous Component(s)	LD50s and LC50s
Cement, portland, chemicals, low chromate	None
Quartz (SiO ₂), <1% respirable	None
fumaric acid	Oral LD50 (Rat) = 10,700 mg/kg Inhalation LC50 (Rat, 4 h) = > 1.306 mg/l
Sodium carbonate	Oral LD50 (Rat) = 4,090 mg/kg
Calcium distearate	None

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
Cement, portland, chemicals, low chromate	Corrosive Irritant		Respiratory
Quartz (SiO ₂), <1% respirable			Immune system Lung Some evidence of carcinogenicity
fumaric acid	Irritant		Kidney
Sodium carbonate	Irritant		Sensory
Calcium distearate			

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Cement, portland, chemicals, low chromate	No	No	No
Quartz (SiO ₂), <1% respirable	Known To Be Human Carcinogen.	Group 1	Yes
fumaric acid	No	No	No
Sodium carbonate	No	No	No
Calcium distearate	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information: It has a low ecotoxicity. Do not empty into drains / surface water / ground water.

Ecotoxicity: Not available.

Persistence and degradability: Not available.

Bioaccumulative potential: Not available.

Mobility: Not available.

Other ecological information: Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of in accordance with local and national regulations. Waste disposal with the approval of the responsible local authority.

14. TRANSPORT INFORMATION

Road transport ADR:

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

International Air Transportation (ICAO/IATA)

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

Water Transportation (IMO/IMDG)

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

15. REGULATORY INFORMATION

No additional information

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: New information added in Section(s): 3, 8, 11

Prepared by: Product Safety and Regulatory Affairs
Issue date: 08/06/2025

DISCLAIMER: This information is considered correct, but it's not exhaustive and will be used only as a guide, which is based on current knowledge of the chemical substance(s) and/or mixture and apply to the appropriate product for safety precautions.

The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Capital does not assume responsibility for any results obtained by persons over whose methods Henkel Capital has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Capital's products. In light of the foregoing, Henkel Capital specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Capital's products. Henkel Capital further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Mexican Official Standard (NOM-018-STPS-2015) of the harmonized system for the identification and communication of hazards and risks from hazardous chemicals in the workplace and provides information in accordance with Mexican law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.