



Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 20

SDS No. : 535663
V002.1

Metylan Universal

Revision: 15.01.2025
printing date: 13.02.2025
Replaces version from: 19.07.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Metylan Universal

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Wallcovering adhesive, dispersion

1.3. Details of the supplier of the safety data sheet

Henkel Bautechnik (Ukraine)
Vyshhorod, Novopromyslova St. 2
07302 Kyiv region

Ukraine

Phone: +380 (800) 308 405

SDSinfo.Adhesive@henkel.com

For Safety Data Sheet updates please visit our website www.mysds.henkel.com or www.henkel-adhesives.com.

1.4. Emergency telephone number

0-800-308-405 (24 h)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Skin sensitizer

Category 1A

H317 May cause an allergic skin reaction.

Chronic hazards to the aquatic environment

Category 3

H412 Harmful to aquatic life with long lasting effects.

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Contains

Смесь изотиазолинонов (С(М)ІТ/МІТ (3:1))
Октил-3(2Н)изотиазолон, 2-

Signal word:

Warning

| | |
|--|---|
| Hazard statement: | H317 May cause an allergic skin reaction. H412 Harmful to aquatic life with long lasting effects. |
| Precautionary statement: | P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. |
| Precautionary statement: Prevention | P261 Avoid breathing mist/vapours. P273 Avoid release to the environment. P280 Wear protective gloves. P302+P352 IF ON SKIN: Wash with plenty of soap and water. |
| Precautionary statement: Disposal | P501 Dispose of contents/container to an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. |

2.3. Other hazards

None if used properly.

Following substances are present in a concentration \geq the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration \geq the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components CAS-No. EC Number REACH-Reg No. | Concentration | Classification | Specific Conc. Limits, M-factors and ATEs | Add. Information |
|---|--|--|--|------------------|
| Дидецилдиметиламмоний хлорид 7173-51-5 230-525-2 01-2119945987-15 | 0,01- < 0,1 % (0,1 %o- < 1 %o) | Aquatic Acute 1, H400 Aquatic Chronic 2, H411 Acute Tox. 3, Oral, H301 Flam. Liq. 3, H226 Skin Corr. 1B, H314 Eye Dam. 1, H318 | M acute = 10 | |
| Carbendazim 10605-21-7 234-232-0 01-2120802826-54 | 0,01- < 0,025 % (0,1 %o- < 0,25 %o) | Aquatic Chronic 1, H410 Muta. 1B, H340 Repr. 1B, H360FD Skin Sens. 1, H317 Aquatic Acute 1, H400 | M acute = 10 M chronic = 10 | |
| Diuron 330-54-1 206-354-4 01-2119517622-45 | 0,01- < 0,025 % (0,1 %o- < 0,25 %o) | Aquatic Chronic 1, H410 Aquatic Acute 1, H400 STOT RE 2, H373 Acute Tox. 4, Oral, H302 Carc. 2, H351 | M acute = 10 M chronic = 10 ===== oral:ATE = 1.000 mg/kg inhalation:ATE = 5,051 mg/l;dust/mist | |
| Смесь изотиазолинонов (С(М)ІТ/МІТ (3:1)) 55965-84-9 01-2120764691-48 | 0,0015- < 0,01 % (15 ppm- < 100 ppm) | Aquatic Chronic 1, H410 Skin Corr. 1C, H314 Acute Tox. 2, Dermal, H310 Acute Tox. 3, Oral, H301 Eye Dam. 1, H318 Acute Tox. 2, Inhalation, H330 Aquatic Acute 1, H400 Skin Sens. 1A, H317 | Skin Irrit. 2; H315; C 0,06 - < 0,6 % Skin Corr. 1C; H314; C >= 0,6 % Eye Irrit. 2; H319; C 0,06 - < 0,6 % Eye Dam. 1; H318; C >= 0,6 % Skin Sens. 1A; H317; C >= 0,0015 % ===== M acute = 100 M chronic = 100 | |
| Октил-3(2Н)изотиазолон, 2- 26530-20-1 247-761-7 01-2120768921-45 | 0,0015- < 0,01 % (15 ppm- < 100 ppm) | Acute Tox. 2, Inhalation, H330 Acute Tox. 3, Dermal, H311 Skin Corr. 1, H314 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Acute Tox. 3, Oral, H301 Aquatic Chronic 1, H410 Eye Dam. 1, H318 | Skin Sens. 1A; H317; C >= 0,0015 % ===== M acute = 100 M chronic = 100 ===== dermal:ATE = 311 mg/kg oral:ATE = 125 mg/kg inhalation:ATE = 0,27 mg/l;dust/mist | |

For full text of the H - statements and other abbreviations see section 16 "Other information".
Substances without classification may have community workplace exposure limits available.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing. If necessary, see a dermatologist.

Eye contact:

Immediately flush eyes with soft jet of water or eye rinse solution for at least 5 minutes. If pains remain (intensive smarting, sensitivity to light, visual disturbance) continue flushing and contact/seek doctor or hospital.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

4.2. Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO₂) can be released.

5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

Avoid contact with skin and eyes.

Danger of slipping on spilled product.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (sand, peat, sawdust).

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin and eye contact.

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

7.2. Conditions for safe storage, including any incompatibilities

Store frost-free.

Store in a cool place in closed original container.

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

7.3. Specific end use(s)

Wallcovering adhesive, dispersion

V002.1

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for
Ukraine

| Ingredient [Regulated substance] | ppm | mg/m ³ | Value type | Short term exposure limit category / Remarks | Regulatory list |
|---|-----|-------------------|-----------------------------------|--|-----------------|
| Calcium carbonate 471-34-1 [Silicate-containing dust, silicates, aluminosilicates: asbestos dust with asbestos content from 10% to 20% Silicate-containing dust, silicates, aluminosilicates: natural asbestos (chrysotile, anthophyllite, actinolite, tremolite, magnesium)] | | 2 | Time Weighted Average (TWA): | | UA OELA |
| Calcium carbonate 471-34-1 [Silicate-containing dust, silicates, aluminosilicates: asbestos cement Silicate-containing dust, silicates, aluminosilicates: asbestos groceries, asbestos rubber] | | 4 | Short Term Exposure Limit (STEL): | | UA OELA |
| Calcium carbonate 471-34-1 [Silicate-containing dust, silicates, aluminosilicates: natural asbestos (chrysotile, anthophyllite, actinolite, tremolite, magnesium)] | | 0,5 | Short Term Exposure Limit (STEL): | | UA OELA |
| Calcium carbonate 471-34-1 [Carbon dusts: carbon fiber materials based on polyacrylonitrile fibers Carbon dusts: carbon fiber materials based on cellulose hydrate fibers] | | 2 | Short Term Exposure Limit (STEL): | | UA OELA |
| Calcium carbonate 471-34-1 [Carbon dusts: carbon fiber materials based on polyacrylonitrile fibers Carbon dusts: carbon fiber materials based on cellulose hydrate fibers] | | | Skin designation: | Chemical is dangerous when exposed to the skin and the mucous membrane of the eyes | UA OELA |
| Calcium carbonate 471-34-1 [Carbon dusts: coke from coal, pitch, oil, shale Silicate-containing dust, silicates, aluminosilicates: asbestos cement Carbon dusts: anthracite containing up to 5% free SiO ₂ Silicate-containing dust, silicates, aluminosilicates: concrete, olivine, apatite, fosterite, clay, kaolin fireclay] | | 6 | Time Weighted Average (TWA): | | UA OELA |
| Calcium carbonate 471-34-1 [Carbon dusts: natural and synthetic diamonds] | | 8 | Time Weighted Average (TWA): | | UA OELA |
| Calcium carbonate 471-34-1 [Carbon dusts: other mined coals and coal dusts containing from 5 to 10% free SiO ₂ Carbon dusts: black industrial soot containing <35 mg benz(a)pyrene per kg Silicate-containing dust, silicates, aluminosilicates: vitreous silicates of volcanic origin (tuff, pumice, perlite) Silicate-containing dust, silicates, aluminosilicates: asbestos dust with asbestos | | 4 | Time Weighted Average (TWA): | | UA OELA |

V002.1

| | | | | | |
|--|--|-----|--------------------------------------|--|---------|
| content less than 10% Silicate-containing dust, silicates, aluminosilicates: mica (flagopit, muscovite), talc, talc dust (natural mixtures of talc with tr Carbon dust: metallized diamond] | | | | | |
| Calcium carbonate 471-34-1 [Carbon dusts: other mined coals and coal dusts containing up to 5% free SiO2 Silicate-containing dust, silicates, aluminosilicates: asbestos groceries, asbestos rubber] | | 10 | Time Weighted Average (TWA): | | UA OELA |
| Calcium carbonate 471-34-1 [Silicate-containing dust, silicates, aluminosilicates: asbestos dust with asbestos content less than 10%] | | 2 | Short Term Exposure Limit (STEL): | | UA OELA |
| Calcium carbonate 471-34-1 [Silicate-containing dust, silicates, aluminosilicates: asbestos dust with asbestos content from 10% to 20%] | | 1 | Short Term Exposure Limit (STEL): | | UA OELA |
| Calcium carbonate 471-34-1 [Carbon dusts: carbon fiber materials based on cellulose hydrate fibers Carbon dusts: carbon fiber materials based on polyacrylonitrile fibers] | | 4 | Time Weighted Average (TWA): | | UA OELA |
| Carbendazim 10605-21-7 [Methyl-1H-benzimidazol-2-ylcarbamate] | | 0,1 | Time Weighted Average (TWA): | | UA OELA |

V002.1

Predicted No-Effect Concentration (PNEC):

| Name on list | Environmental Compartment | Exposure period | Value | | | | Remarks |
|--|------------------------------------|--------------------|------------------|-----|-------------------|--------|---------|
| | | | mg/l | ppm | mg/kg | others | |
| Didecyldimethylammonium chloride 7173-51-5 | aqua (freshwater) | | 0,002 mg/l | | | | |
| Didecyldimethylammonium chloride 7173-51-5 | aqua (marine water) | | 0,0002 mg/l | | | | |
| Didecyldimethylammonium chloride 7173-51-5 | aqua (intermittent releases) | | 0,00029 mg/l | | | | |
| Didecyldimethylammonium chloride 7173-51-5 | sewage treatment plant (STP) | | 0,595 mg/l | | | | |
| Didecyldimethylammonium chloride 7173-51-5 | sediment (freshwater) | | | | 2,82 mg/kg | | |
| Didecyldimethylammonium chloride 7173-51-5 | sediment (marine water) | | | | 0,282 mg/kg | | |
| Didecyldimethylammonium chloride 7173-51-5 | Soil | | | | 1,4 mg/kg | | |
| diuron 330-54-1 | sewage treatment plant (STP) | | 58 mg/l | | | | |
| diuron 330-54-1 | aqua (freshwater) | | 0,00032 mg/l | | | | |
| diuron 330-54-1 | sediment (freshwater) | | | | 0,05172 mg/kg | | |
| diuron 330-54-1 | Soil | | | | 0,012 mg/kg | | |
| diuron 330-54-1 | aqua (marine water) | | 0,000032 mg/l | | | | |
| diuron 330-54-1 | sediment (marine water) | | | | 0,005172 mg/kg | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | aqua (freshwater) | | 0,00339 mg/l | | | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | aqua (marine water) | | 0,00339 mg/l | | | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | sewage treatment plant (STP) | | 0,23 mg/l | | | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | sediment (freshwater) | | | | 0,027 mg/kg | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | sediment (marine water) | | | | 0,027 mg/kg | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | Soil | | | | 0,01 mg/kg | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | Freshwater - intermittent | | 0,00339 mg/l | | | | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | Marine water - intermittent | | 0,00339 mg/l | | | | |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | sediment (freshwater) | | | | 0,0475 mg/kg | | |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | sediment (marine water) | | | | 0,00475 mg/kg | | |
| 2-Octyl-2H-isothiazol-3-one | aqua | | 0,0022 | | | | |

V002.1

| | | | | | | | |
|---|---------------------------------|--|-----------------|--|-----------------|--|--|
| 26530-20-1 | (freshwater) | | mg/l | | | | |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | aqua (intermittent releases) | | 0,0012 mg/l | | | | |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | aqua (marine water) | | 0,00022 mg/l | | | | |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | Soil | | | | 0,0082 mg/kg | | |

Derived No-Effect Level (DNEL):

| Name on list | Application Area | Route of Exposure | Health Effect | Exposure Time | Value | Remarks |
|--|--------------------|-------------------|--|---------------|------------------------|---------|
| Didecyldimethylammonium chloride 7173-51-5 | Workers | inhalation | Long term exposure - local effects | | | |
| Didecyldimethylammonium chloride 7173-51-5 | Workers | inhalation | Acute/short term exposure - local effects | | | |
| Didecyldimethylammonium chloride 7173-51-5 | Workers | dermal | Long term exposure - local effects | | | |
| Didecyldimethylammonium chloride 7173-51-5 | Workers | dermal | Acute/short term exposure - local effects | | | |
| diuron 330-54-1 | Workers | inhalation | Long term exposure - systemic effects | | 0,17 mg/m ³ | |
| diuron 330-54-1 | Workers | dermal | Long term exposure - systemic effects | | 5,79 mg/kg | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | Workers | inhalation | Long term exposure - local effects | | 0,02 mg/m ³ | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | Workers | inhalation | Acute/short term exposure - local effects | | 0,04 mg/m ³ | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | General population | inhalation | Long term exposure - local effects | | 0,02 mg/m ³ | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | General population | inhalation | Acute/short term exposure - local effects | | 0,04 mg/m ³ | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | General population | oral | Long term exposure - systemic effects | | 0,09 mg/kg | |
| 3(2H)-Isothiazolone, 5-chloro-2-methyl-, mixt. with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | General population | oral | Acute/short term exposure - systemic effects | | 0,11 mg/kg | |

Biological Exposure Indices:

None

8.2. Exposure controls:

Respiratory protection:

Ensure adequate ventilation.

Hand protection:

In the case of longer contact protective gloves made from nitrile rubber are recommended according to EN 374.
material thickness > 0.1 mm
Perforation time > 480 minutes

In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, product compatibility, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. The information provided by the manufacturers and given in the relevant trade association regulations for industrial safety must always be observed. We recommend that a hand care plan is drawn up in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

Eye protection:

Goggles which can be tightly sealed.
Protective eye equipment should conform to EN166.

Skin protection:

Suitable protective clothing
Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|--|--|
| Delivery form | paste |
| Colour | Beige |
| Odor | specific |
| Physical state | liquid |
| Melting point | Currently under determination |
| Initial boiling point | Currently under determination |
| Flammability | Currently under determination |
| Explosive limits | Currently under determination |
| Flash point | Currently under determination |
| Auto-ignition temperature | Currently under determination |
| Decomposition temperature | Currently under determination |
| pH | 6 - 8 no method / method unknown |
| (20 °C (68 °F)) | |
| Viscosity (kinematic) | Currently under determination |
| Viscosity, dynamic | 30.000 - 35.000 mPa.s no method / method unknown |
| (; 40 °C (104 °F)) | |
| Solubility (qualitative) | Currently under determination |
| Partition coefficient: n-octanol/water | Currently under determination |
| Vapour pressure | Currently under determination |
| Density | 0,95 - 1,05 g/cm ³ no method / method unknown |
| (20 °C (68 °F)) | |
| Relative vapour density: | Currently under determination |
| Particle characteristics | Currently under determination |

9.2. Other information

Other information not applicable for this product

SECTION 10: Stability and reactivity

10.1. Reactivity

Reaction with acids: production of heat and carbon dioxide.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

None if used for intended purpose.

10.5. Incompatible materials

See section reactivity.

10.6. Hazardous decomposition products

None known.

SECTION 11: Toxicological information**11.1. Information on toxicological effects****Acute oral toxicity:**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Species | Method |
|--|-------------------------------|---------------------|---------|--|
| didecyldimethylammonium chloride 7173-51-5 | LD50 | 238 mg/kg | rat | OECD Guideline 401 (Acute Oral Toxicity) |
| Carbendazim 10605-21-7 | LD50 | 6.400 mg/kg | rat | not specified |
| diuron 330-54-1 | LD50 | 1.000 - 1.017 mg/kg | rat | not specified |
| diuron 330-54-1 | Acute toxicity estimate (ATE) | 1.000 mg/kg | | Expert judgement |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | LD50 | 66 mg/kg | rat | OECD Guideline 401 (Acute Oral Toxicity) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | Acute toxicity estimate (ATE) | 125 mg/kg | | Expert judgement |

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Species | Method |
|--|-------------------------------|---------------|---------|--|
| didecyldimethylammonium chloride 7173-51-5 | LD50 | 3.342 mg/kg | rabbit | not specified |
| Carbendazim 10605-21-7 | LD50 | > 2.000 mg/kg | rabbit | not specified |
| diuron 330-54-1 | LD50 | > 5.000 mg/kg | rat | OECD Guideline 402 (Acute Dermal Toxicity) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | LD50 | 87,12 mg/kg | rabbit | OECD Guideline 402 (Acute Dermal Toxicity) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | Acute toxicity estimate (ATE) | 311 mg/kg | | Expert judgement |

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Test atmosphere | Exposure time | Species | Method |
|--|-------------------------------|-------------|-----------------|------------------|---------|--|
| diuron 330-54-1 | LC50 | > 5,05 mg/l | dust/mist | 4 h | rat | OECD Guideline 403 (Acute Inhalation Toxicity) |
| diuron 330-54-1 | Acute toxicity estimate (ATE) | 5,051 mg/l | dust/mist | | | Expert judgement |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | LC50 | 0,171 mg/l | dust/mist | 4 h | rat | OECD Guideline 403 (Acute Inhalation Toxicity) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | Acute toxicity estimate (ATE) | 0,27 mg/l | dust/mist | 4 h | | Expert judgement |

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|--|----------------|------------------|---------|--|
| didecyldimethylammonium chloride 7173-51-5 | corrosive | 60 min | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| diuron 330-54-1 | not irritating | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | corrosive | 4 h | rabbit | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|--|--|------------------|---------|---|
| diuron 330-54-1 | not irritating | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | Category 1 (irreversible effects on the eye) | | rabbit | not specified |

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Test type | Species | Method |
|--|-----------------|------------------------------------|------------|---|
| didecyldimethylammonium chloride 7173-51-5 | not sensitising | Buehler test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |
| diuron 330-54-1 | not sensitising | Guinea pig maximisation test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | sensitising | Guinea pig maximisation test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | sensitising | Mouse local lymphnode assay (LLNA) | mouse | not specified |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | sensitising | Mouse local lymphnode assay (LLNA) | mouse | OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay) |

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|--|-----------|--|--------------------------------------|---------|---|
| didecyldimethylammonium chloride 7173-51-5 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| didecyldimethylammonium chloride 7173-51-5 | negative | in vitro mammalian chromosome aberration test | with and without | | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) |
| didecyldimethylammonium chloride 7173-51-5 | negative | mammalian cell gene mutation assay | no data | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| diuron 330-54-1 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| diuron 330-54-1 | negative | mammalian cell gene mutation assay | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| diuron 330-54-1 | | in vitro mammalian chromosome aberration test | with and without | | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | ambiguous | bacterial reverse mutation assay (e.g Ames test) | with and without | | equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | positive | in vitro mammalian chromosome aberration test | with and without | | EPA OPP 84-2 (Mutagenicity Testing) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | positive | mammalian cell gene mutation assay | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | negative | DNA damage and repair assay, unscheduled DNA synthesis in mammalian cells in vitro | not applicable | | OECD Guideline 482 (Genetic Toxicology: DNA Damage and Repair, Unscheduled DNA Synthesis in Mammalian Cells In Vitro) |

Carcinogenicity

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous components CAS-No. | Result | Route of application | Exposure time / Frequency of treatment | Species | Sex | Method |
|--|------------------|----------------------|--|---------|-------------|--|
| didecyldimethylammonium chloride 7173-51-5 | not carcinogenic | oral: feed | 104 weeks daily | rat | male | OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | not carcinogenic | oral: drinking water | 2 y daily | rat | male/female | OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result / Value | Test type | Route of application | Species | Method |
|--|--|----------------------|-------------------------|---------|---|
| didecyldimethylammonium chloride 7173-51-5 | NOAEL P 1500 ppm NOAEL F1 1500 ppm NOAEL F2 4000 ppm | | oral: feed | rat | OECD Guideline 416 (Two-Generation Reproduction Toxicity Study) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | NOAEL P 30 ppm NOAEL F1 300 ppm NOAEL F2 300 ppm | Two generation study | oral: drinking water | rat | OECD Guideline 416 (Two-Generation Reproduction Toxicity Study) |

STOT-single exposure:

No data available.

STOT-repeated exposure:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result / Value | Route of application | Exposure time / Frequency of treatment | Species | Method |
|--|------------------------------|-------------------------|--|---------|--|
| didecyldimethylammonium chloride 7173-51-5 | NOAEL ca. 46 mg/kg | oral: feed | 93 days daily | rat | OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| didecyldimethylammonium chloride 7173-51-5 | NOAEL ca. 31 mg/kg | oral: feed | 52 w daily | rat | OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | NOAEL 16,3 mg/kg | oral: drinking water | 90 d daily | rat | OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | NOAEL 0.34 mg/m ³ | inhalation: aerosol | 90 d 6 h/d, 5 d/w | rat | OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | NOAEL 2,625 mg/kg | dermal | 90 d 6 h/d | rat | EPA OPP 82-3 (Subchronic Dermal Toxicity 90 Days) |

Aspiration hazard:

No data available.

SECTION 12: Ecological information**General ecological information:**

Do not empty into drains, soil or bodies of water.

12.1. Toxicity**Toxicity (Fish):**

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|--|------------|------------|---------------|---|--|
| didecyldimethylammonium chloride 7173-51-5 | LC50 | 0,97 mg/l | 96 h | Brachydanio rerio (new name: Danio rerio) | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| didecyldimethylammonium chloride 7173-51-5 | NOEC | 0,032 mg/l | 34 d | Brachydanio rerio (new name: Danio rerio) | OECD Guideline 210 (fish early lite stage toxicity test) |
| didecyldimethylammonium chloride 7173-51-5 | NOEC | 0,041 mg/l | 21 d | Oncorhynchus mykiss | OECD Guideline 204 (Fish, Prolonged Toxicity Test: 14-day Study) |
| Carbendazim 10605-21-7 | LC50 | > 10 mg/l | 96 h | Brachydanio rerio (new name: Danio rerio) | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| diuron 330-54-1 | NOEC | 4,2 mg/l | 7 d | Pimephales promelas | OECD Guideline 204 (Fish, Prolonged Toxicity Test: 14-day Study) |
| diuron 330-54-1 | LC50 | 6,6 mg/l | 96 h | Leuciscus idus melanotus | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | LC50 | 0,22 mg/l | 96 h | Oncorhynchus mykiss | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | NOEC | 0,098 mg/l | 28 d | Oncorhynchus mykiss | OECD Guideline 210 (fish early lite stage toxicity test) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | LC50 | 0,036 mg/l | 96 h | Oncorhynchus mykiss | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | NOEC | 0,022 mg/l | 21 d | Oncorhynchus mykiss | OECD Guideline 210 (fish early lite stage toxicity test) |

Toxicity (aquatic invertebrates):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|--|------------|------------|---------------|---------------|--|
| didecyldimethylammonium chloride 7173-51-5 | EC50 | 0,034 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Carbendazim 10605-21-7 | EC50 | 0,16 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| diuron 330-54-1 | EC50 | 1,4 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | EC50 | 0,12 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | EC50 | 0,42 mg/l | 48 h | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

Chronic toxicity (aquatic invertebrates):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|----------------------------------|------------|------------|---------------|---------------|---|
| didecyldimethylammonium chloride | NOEC | 0,021 mg/l | 21 d | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |

| | | | | | |
|---|------|-------------|------|---------------|---|
| 7173-51-5 | | | | | |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | NOEC | 0,0036 mg/l | 21 d | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | NOEC | 0,0016 mg/l | 21 d | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|------------|---------------|---------------|---|---|
| didecyldimethylammonium chloride 7173-51-5 | EC50 | 0,026 mg/l | 96 h | Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| didecyldimethylammonium chloride 7173-51-5 | NOEC | 0,014 mg/l | 96 h | Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Carbendazim 10605-21-7 | NOEC | 1 mg/l | 72 h | Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Carbendazim 10605-21-7 | EC50 | 23 mg/l | 72 h | Selenastrum capricornutum (new name: Pseudokirchneriella subcapitata) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| diuron 330-54-1 | NOEC | 0,0032 mg/l | 96 h | Scenedesmus subspicatus (new name: Desmodesmus subspicatus) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| diuron 330-54-1 | EC50 | 0,022 mg/l | 96 h | Scenedesmus subspicatus (new name: Desmodesmus subspicatus) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | EC50 | 0,0052 mg/l | 72 h | Skeletonema costatum | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | NOEC | 0,00064 mg/l | 48 h | Skeletonema costatum | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | EC50 | 0,00129 mg/l | 48 h | Navicula pelliculosa | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | EC10 | 0,000224 mg/l | 48 h | Navicula pelliculosa | OECD Guideline 201 (Alga, Growth Inhibition Test) |

Toxicity (microorganisms):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Exposure time | Species | Method |
|---|------------|---------------|---------------|------------------|--|
| didecyldimethylammonium chloride 7173-51-5 | EC10 | 5,95 mg/l | 3 h | activated sludge | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |
| Carbendazim 10605-21-7 | EC20 | > 1.000 mg/l | 30 min | not specified | DIN 38412, part 27 (Bacterial oxygen consumption test) |
| diuron 330-54-1 | EC 50 | > 10.000 mg/l | | | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | EC20 | 0,97 mg/l | 3 h | activated sludge | OECD Guideline 209 (Activated Sludge, Respiration Inhibition Test) |

12.2. Persistence and degradability

| Hazardous substances CAS-No. | Result | Test type | Degradability | Exposure time | Method |
|--|------------------------------|-----------|---------------|---------------|---|
| didecyldimethylammonium chloride 7173-51-5 | inherently biodegradable | no data | 87 - 94 % | 28 d | OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test) |
| didecyldimethylammonium chloride 7173-51-5 | readily biodegradable | aerobic | 81 % | 28 d | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test) |
| Carbendazim 10605-21-7 | not readily biodegradable. | aerobic | 22 - 42 % | 21 d | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |
| Carbendazim 10605-21-7 | not inherently biodegradable | aerobic | < 10 % | 21 d | OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test) |
| diuron 330-54-1 | | aerobic | 0 % | 28 d | OECD Guideline 301 F (Ready Biodegradability: Manometric Respirometry Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | inherently biodegradable | aerobic | 100 % | 28 d | OECD Guideline 302 B (Inherent biodegradability: Zahn-Wellens/EMPA Test) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | readily biodegradable | aerobic | > 60 % | 28 d | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | not readily biodegradable. | aerobic | 35 % | 21 d | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test) |

12.3. Bioaccumulative potential

| Hazardous substances CAS-No. | Bioconcentration factor (BCF) | Exposure time | Temperature | Species | Method |
|--|-------------------------------|---------------|-------------|-------------|---|
| didecyldimethylammonium chloride 7173-51-5 | 81 | | | | not specified |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | 3,6 | | | calculation | QSAR (Quantitative Structure Activity Relationship) |

12.4. Mobility in soil

| Hazardous substances CAS-No. | LogPow | Temperature | Method |
|---|----------------|-------------|--|
| Carbendazim 10605-21-7 | 1,6 | | OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method) |
| diuron 330-54-1 | 2,84 | 20 °C | OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method) |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | > -0,71 - 0,75 | 20 °C | OECD Guideline 117 (Partition Coefficient (n-octanol / water), HPLC Method) |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | 2,9 | | OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method) |

12.5. Results of PBT and vPvB assessment

| Hazardous substances CAS-No. | PBT / vPvB |
|--|---|
| didecyldimethylammonium chloride 7173-51-5 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| Carbendazim 10605-21-7 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| diuron 330-54-1 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| Isothiazolinone mixture (C(M)IT/MIT (3:1)) 55965-84-9 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| 2-Octyl-2H-isothiazol-3-one 26530-20-1 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code

080409

SECTION 14: Transport information

- 14.1. UN number or ID number**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.2. UN proper shipping name**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.3. Transport hazard class(es)**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.4. Packing group**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.5. Environmental hazards**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.6. Special precautions for user**
Not hazardous according to RID, ADR, ADN, IMDG, IATA-DGR.
- 14.7. Maritime transport in bulk according to IMO instruments**
not applicable

SECTION 15: Regulatory information

No information available:

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H310 Fatal in contact with skin.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H340 May cause genetic defects.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H411 Toxic to aquatic life with long lasting effects.

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.