



**Voluntary safety information based on the Safety Data Sheet in accordance with Annex II of Regulation (EC) No 1907/2006**

Page 1 of 13

SDS No. : 242373  
V004.0

Pritt Multi-Tack

Revision: 20.01.2025  
printing date: 22.01.2025

Replaces version from: 13.03.2024

**SECTION 1: Identification of the article and of the company/undertaking**

**1.1. Product identifier**

Pritt Multi-Tack

**1.2. Relevant identified uses of the article and uses advised against**

Intended use:

Adhesive pad

**1.3. Details of the supplier of the safety data sheet**

Türk Henkel Kimya San. Tic. A.Ş.  
Fatih Sultan Mehmet Mah.Poligon Cad. 8 Buyaka 2Sitesi C Blok  
34771 Tepeüstü / Istanbul

Turkey

Phone: +90 216 579 40 74

SDSinfo.Adhesive@henkel.com

For Safety Data Sheet updates please visit our website [www.mysds.henkel.com](http://www.mysds.henkel.com) or [www.henkel-adhesives.com](http://www.henkel-adhesives.com).

**1.4. Emergency telephone number**

Türk Henkel +90 216 579 40 00 (9-17h), 112 emergency line outside office hours

National Poison Information Center: 114

**SECTION 2: Hazards identification**

**2.1. Classification of the article**

**Classification (CLP):**

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

**2.2. Label elements**

**Label elements (CLP):**

The substance or mixture is not hazardous according to Regulation (EC) No 1272/2008 (CLP).

**Supplemental information**

EUH212 Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

**2.3. Other hazards**

None if used properly.

Following substances are present in a concentration  $\geq$  the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration  $\geq$  the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Declaration of the ingredients according to 28848 T.C.:

| Hazardous components<br>CAS-No.<br>EC Number<br>KKDIK, TR REACH-Reg No.   | Concentration | Classification            | Specific Conc. Limits, M-factors and ATEs | Add. Information |
|---|---------------|---------------------------|---|------------------|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br><br>14808-60-7<br>238-878-4 | 5- < 15 %     |                           |   |                  |
| White mineral oil (petroleum)<br><br>8042-47-5<br>232-455-8               | 10- < 12 %    | Asp. Tox. 1, H304         |   |                  |
| Titanium dioxide<br><br>13463-67-7<br>236-675-5                           | 1- < 5 %      | Carc. 2, Inhalation, H351 |   |                  |

If no ATE values are displayed, please refer to LD/LC50 values in Section 11.

For full text of the H - statements and other abbreviations see section 16 "Other information".

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

General information:

In case of adverse health effects seek medical advice.

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

Eye contact:

Rinse immediately with plenty of running water, seek medical advice if necessary.

Ingestion:

Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media:

carbon dioxide, foam, powder, water spray jet, fine water spray

#### Extinguishing media which must not be used for safety reasons:

High pressure waterjet

### 5.2. Special hazards arising from the article

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>) can be released.

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus.

Wear protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Wear protective equipment.

### 6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

### 6.3. Methods and material for containment and cleaning up

Remove mechanically.

Dispose of contaminated material as waste according to Section 13.

### 6.4. Reference to other sections

See advice in section 8

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

No particular measures required.

#### Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry place.

Store protected from light.

Temperatures between + 5 °C and + 25 °C.

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

### 7.3. Specific end use(s)

Adhesive pad

**SECTION 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Occupational Exposure Limits**

Valid for  
Turkey

| Ingredient [Regulated substance]  | ppm | mg/m <sup>3</sup> | Value type                   | Short term exposure limit category / Remarks  | Regulatory list |
|---|-----|-------------------|------------------------------|---|-----------------|
| Limestone<br>1317-65-3<br>[CALCIUM CARBONATE (LIMESTONE) (TOTAL DUST)<br>CALCIUM CARBONATE (MARBLE) (TOTAL DUST)] |     | 15                | Time Weighted Average (TWA): | 8 hours   | TR OELDU        |
| Limestone<br>1317-65-3<br>[CALCIUM CARBONATE (LIMESTONE) (RESPIRABLE)<br>CALCIUM CARBONATE (MARBLE) (RESPIRABLE)] |     | 5                 | Time Weighted Average (TWA): | 8 hours   | TR OELDU        |
| White mineral oil (petroleum)<br>8042-47-5<br>[oil mist, mineral]   |     | 5                 | Time Weighted Average (TWA): |   | TR OEL          |
| Quartz (SiO <sub>2</sub> )<br>14808-60-7<br>[SILICA (CRYSTALLINE): QUARTZ (TOTAL DUST)]                           |     | 0,3               | Time Weighted Average (TWA): | 8 hours<br>The value is calculated from the equation (30mg/m <sup>3</sup> )/(%SiO <sub>2</sub> +2), using a value of 100% SiO <sub>2</sub> . Lower values of % SiO <sub>2</sub> will give higher exposure limits. | TR OELDU        |
| Quartz (SiO <sub>2</sub> )<br>14808-60-7<br>[SILICA (CRYSTALLINE): QUARTZ (RESPIRABLE)]                           |     | 0,1               | Time Weighted Average (TWA): | 8 hours<br>The value is calculated from the equation (10mg/m <sup>3</sup> )/(%SiO <sub>2</sub> +2), using a value of 100% SiO <sub>2</sub> . Lower values of % SiO <sub>2</sub> will give higher exposure limits. | TR OELDU        |
| Titanium dioxide<br>13463-67-7<br>[TITANIUM DIOXIDE (TOTAL DUST)]   |     | 15                | Time Weighted Average (TWA): | 8 hours   | TR OELDU        |

**Biological Exposure Indices:**

None

**8.2. Exposure controls:**

Respiratory protection:  
Not needed.

Hand protection:  
Not needed.

Eye protection:  
Not needed.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

|               |           |
|---------------|-----------|
| Delivery form | solid     |
| Colour        | white     |
| Odor          | odourless |

|   |   |
|---|---|
| Physical state  | solid   |
| Melting point   | Not applicable, Determination technically not possible  |
| Solidification temperature                                    | Not applicable, Product is a solid  |
| Initial boiling point   | > 316 °C (> 600.8 °F)   |
| Flammability  | non flammable   |
| Explosive limits  | Not applicable, Product is a solid  |
| Flash point   | Not applicable, Product is a solid  |
| Auto-ignition temperature                                     | Not applicable, Product is a solid  |
| Decomposition temperature                                     | Not applicable, Substance/mixture is not self-reactive, no organic peroxide and does not decompose under foreseen conditions of use |
| pH  | Not applicable, Product is non-soluble (in water).  |
| Viscosity (kinematic)   | Not applicable, Product is a solid  |
| Solubility (qualitative)<br>(23 °C (73.4 °F); Solvent: Water) | Insoluble   |
| Partition coefficient: n-octanol/water                        | Not applicable  |
| Vapour pressure<br>(20 °C (68 °F))                            | Mixture<br>< 0,1 hPa  |
| Density<br>(20 °C (68 °F))                                    | 1,7 g/cm <sup>3</sup> Supplier method   |
| Relative vapour density:                                      | Not applicable, Product is a solid  |
| Particle characteristics                                      | Not applicable, mixture is a paste.   |

**9.2. Other information**

No data available / Not applicable

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

None if used for intended purpose.

**10.2. Chemical stability**

Stable under recommended storage conditions.

**10.3. Possibility of hazardous reactions**

See section reactivity

**10.4. Conditions to avoid**

None if used for intended purpose.

**10.5. Incompatible materials**

None if used properly.

**10.6. Hazardous decomposition products**

None known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute oral toxicity:**

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value         | Species | Method  |
|--|---------------|---------------|---------|---|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | LD50          | > 5.050 mg/kg | rat     | not specified   |
| White mineral oil (petroleum)<br>8042-47-5               | LD50          | > 5.000 mg/kg | rat     | OECD Guideline 401 (Acute Oral Toxicity)                        |
| Titanium dioxide<br>13463-67-7                           | LD50          | > 5.000 mg/kg | rat     | OECD Guideline 425 (Acute Oral Toxicity: Up-and-Down Procedure) |

**Acute dermal toxicity:**

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value          | Species       | Method                                     |
|--|---------------|----------------|---------------|--|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | LD50          | > 2.000 mg/kg  | not specified | not specified                              |
| White mineral oil (petroleum)<br>8042-47-5               | LD50          | > 2.000 mg/kg  | rabbit        | OECD Guideline 402 (Acute Dermal Toxicity) |
| Titanium dioxide<br>13463-67-7                           | LD50          | > 10.000 mg/kg | rabbit        | not specified                              |

**Acute inhalative toxicity:**

| Hazardous substances<br>CAS-No.            | Value<br>type | Value       | Test atmosphere | Exposure<br>time | Species | Method   |
|--|---------------|-------------|-----------------|------------------|---------|--|
| White mineral oil (petroleum)<br>8042-47-5 | LC50          | > 5 mg/l    | dust/mist       | 4 h              | rat     | OECD Guideline 403 (Acute Inhalation Toxicity) |
| Titanium dioxide<br>13463-67-7             | LC50          | > 6,82 mg/l | dust            | 4 h              | rat     | not specified                                  |

**Skin corrosion/irritation:**

| Hazardous substances<br>CAS-No.            | Result         | Exposure<br>time | Species | Method   |
|--|----------------|------------------|---------|--|
| White mineral oil (petroleum)<br>8042-47-5 | not irritating |                  | rabbit  | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| Titanium dioxide<br>13463-67-7             | not irritating | 4 h              | rabbit  | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |

**Serious eye damage/irritation:**

| Hazardous substances<br>CAS-No.            | Result         | Exposure<br>time | Species | Method  |
|--|----------------|------------------|---------|---|
| White mineral oil (petroleum)<br>8042-47-5 | not irritating |                  | rabbit  | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| Titanium dioxide<br>13463-67-7             | not irritating |                  | rabbit  | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |

**Respiratory or skin sensitization:**

| Hazardous substances<br>CAS-No.            | Result          | Test type                          | Species    | Method   |
|--|-----------------|------------------------------------|------------|--|
| White mineral oil (petroleum)<br>8042-47-5 | not sensitising | Buehler test                       | guinea pig | OECD Guideline 406 (Skin Sensitisation)  |
| Titanium dioxide<br>13463-67-7             | not sensitising | Mouse local lymphnode assay (LLNA) | mouse      | equivalent or similar to OECD Guideline 429 (Skin Sensitisation: Local Lymph Node Assay) |
| Titanium dioxide<br>13463-67-7             | not sensitising | Buehler test                       | guinea pig | OECD Guideline 406 (Skin Sensitisation)  |

**Germ cell mutagenicity:**

| Hazardous substances CAS-No.            | Result   | Type of study / Route of administration          | Metabolic activation / Exposure time | Species | Method  |
|---|----------|--|--------------------------------------|---------|---|
| White mineral oil (petroleum) 8042-47-5 | negative | bacterial reverse mutation assay (e.g Ames test) | with                                 |         | OECD Guideline 471 (Bacterial Reverse Mutation Assay)                                   |
| White mineral oil (petroleum) 8042-47-5 | negative | mammalian cell gene mutation assay               | with and without                     |         | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)                         |
| Titanium dioxide 13463-67-7             | negative | bacterial reverse mutation assay (e.g Ames test) | with and without                     |         | OECD Guideline 471 (Bacterial Reverse Mutation Assay)                                   |
| Titanium dioxide 13463-67-7             | negative | in vitro mammalian chromosome aberration test    | with and without                     |         | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)                      |
| Titanium dioxide 13463-67-7             | negative | mammalian cell gene mutation assay               | with and without                     |         | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)                         |
| Titanium dioxide 13463-67-7             | negative | in vitro mammalian cell micronucleus test        | without                              |         | equivalent or similar to OECD Guideline 487 (In vitro Mammalian Cell Micronucleus Test) |
| White mineral oil (petroleum) 8042-47-5 | negative | intraperitoneal                                  |                                      | mouse   | OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)                            |
| Titanium dioxide 13463-67-7             | negative | oral: gavage                                     |                                      | rat     | OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)                            |

**Carcinogenicity**

| Hazardous components CAS-No. | Result           | Route of application | Exposure time / Frequency of treatment | Species | Sex         | Method        |
|------------------------------|------------------|----------------------|--|---------|-------------|---------------|
| Titanium dioxide 13463-67-7  | not carcinogenic | oral: feed           | 103 w daily                            | rat     | male/female | not specified |

**Reproductive toxicity:**

| Hazardous substances CAS-No.            | Result / Value  | Test type            | Route of application | Species | Method   |
|---|---|----------------------|----------------------|---------|--|
| White mineral oil (petroleum) 8042-47-5 | NOAEL P $\geq$ 2.000 mg/kg<br>NOAEL F1 $\geq$ 2.000 mg/kg | one-generation study | dermal               | rat     | OECD Guideline 415 (One-Generation Reproduction Toxicity Study)          |
| Titanium dioxide 13463-67-7             | NOAEL P $\geq$ 1.000 mg/kg<br>NOAEL F1 $\geq$ 1.000 mg/kg | one-generation study | oral: feed           | rat     | OECD Guideline 443 (Extended One-Generation Reproductive Toxicity Study) |

**STOT-single exposure:**

No data available.

**STOT-repeated exposure:**

| Hazardous substances CAS-No.            | Result / Value           | Route of application | Exposure time / Frequency of treatment | Species | Method   |
|---|--------------------------|----------------------|--|---------|--|
| White mineral oil (petroleum) 8042-47-5 | NOAEL $\geq$ 1.600 mg/kg | oral: feed           | 90 d daily                             | rat     | OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |
| Titanium dioxide 13463-67-7             | NOAEL $>$ 1.000 mg/kg    | oral: gavage         | 92 d daily                             | rat     | OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents) |

**Aspiration hazard:**

| Hazardous substances<br>CAS-No.               | Viscosity (kinematic)<br>Value | Temperature | Method        | Remarks |
|---|--------------------------------|-------------|---------------|---------|
| White mineral oil<br>(petroleum)<br>8042-47-5 | ca. 3,8 mm <sup>2</sup> /s     | 40 °C       | not specified |         |

**11.2 Information on other hazards**

not applicable

**SECTION 12: Ecological information**

**General ecological information:**

Do not empty into drains, soil or bodies of water.

**12.1. Toxicity**

**Toxicity (Fish):**

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value                       | Exposure time | Species             | Method   |
|--|---------------|-----------------------------|---------------|---------------------|--|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | LC50          | > 1.000 mg/l                | 96 h          | not specified       | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| White mineral oil (petroleum)<br>8042-47-5               | LL50          | > 100 mg/l                  | 96 h          | Oncorhynchus mykiss | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Titanium dioxide<br>13463-67-7                           | LC50          | Toxicity > Water solubility | 48 h          | Leuciscus idus      | OECD Guideline 203 (Fish, Acute Toxicity Test) |

**Toxicity (aquatic invertebrates):**

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value                       | Exposure time | Species       | Method   |
|--|---------------|-----------------------------|---------------|---------------|--|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | EC50          | > 1.000 mg/l                | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| White mineral oil (petroleum)<br>8042-47-5               | EL50          | > 100 mg/l                  | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Titanium dioxide<br>13463-67-7                           | EC50          | Toxicity > Water solubility | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

**Chronic toxicity (aquatic invertebrates):**

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.            | Value<br>type | Value                       | Exposure time | Species       | Method   |
|--|---------------|-----------------------------|---------------|---------------|--|
| White mineral oil (petroleum)<br>8042-47-5 | NOEL          | 10 mg/l                     | 21 d          | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test)                  |
| Titanium dioxide<br>13463-67-7             | NOEC          | Toxicity > Water solubility | 21 d          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Chronic Immobilisation Test) |



### Toxicity (Algae):

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value                          | Exposure time | Species                         | Method   |
|--|---------------|--------------------------------|---------------|---------------------------------|--|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | EC50          | > 1.000 mg/l                   | 72 h          | not specified                   | OECD Guideline 201 (Alga,<br>Growth Inhibition Test) |
| White mineral oil (petroleum)<br>8042-47-5               | NOELR         | 100 mg/l                       | 72 h          | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga,<br>Growth Inhibition Test) |
| Titanium dioxide<br>13463-67-7                           | EC50          | Toxicity > Water<br>solubility | 72 h          | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga,<br>Growth Inhibition Test) |
| Titanium dioxide<br>13463-67-7                           | NOEC          | Toxicity > Water<br>solubility | 72 h          | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga,<br>Growth Inhibition Test) |

### Toxicity (microorganisms):

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                          | Value<br>type | Value                          | Exposure time | Species                 | Method   |
|--|---------------|--------------------------------|---------------|-------------------------|--|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | EC0           | > 1.000 mg/l                   | 3 h           | not specified           | OECD Guideline 209<br>(Activated Sludge,<br>Respiration Inhibition Test) |
| White mineral oil (petroleum)<br>8042-47-5               | IC50          | > 100 mg/l                     | 93 d          | other:                  | other guideline:   |
| Titanium dioxide<br>13463-67-7                           | EC0           | Toxicity > Water<br>solubility | 24 h          | Pseudomonas fluorescens | DIN 38412, part 8<br>(Pseudomonas<br>Zellvermehrungshemm-<br>Test)       |

## 12.2. Persistence and degradability

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.            | Result                     | Test type | Degradability | Exposure<br>time | Method  |
|--|----------------------------|-----------|---------------|------------------|---|
| White mineral oil (petroleum)<br>8042-47-5 | not readily biodegradable. | aerobic   | 31,3 %        | 28 d             | OECD Guideline 301 F (Ready<br>Biodegradability: Manometric<br>Respirometry Test) |

## 12.3. Bioaccumulative potential

No data available.

#### 12.4. Mobility in soil

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.            | LogPow | Temperature | Method                                |
|--|--------|-------------|---------------------------------------|
| White mineral oil (petroleum)<br>8042-47-5 | > 4    |             | EU Method A.8 (Partition Coefficient) |

#### 12.5. Results of PBT and vPvB assessment

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                          | PBT / vPvB  |
|--|---|
| Quartz (SiO <sub>2</sub> ), <1% respirable<br>14808-60-7 | According to Annex XIII to Regulation (EC) No 1907/2006, a PBT and vPvB assessment shall not be conducted for inorganic substances. |
| White mineral oil (petroleum)<br>8042-47-5               | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.               |
| Titanium dioxide<br>13463-67-7                           | According to Annex XIII to Regulation (EC) No 1907/2006, a PBT and vPvB assessment shall not be conducted for inorganic substances. |

#### 12.6. Endocrine disrupting properties

not applicable

#### 12.7. Other adverse effects

No data available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code

080410

**SECTION 14: Transport information**

**14.1. UN number or ID number**

|      |                     |
|------|---------------------|
| ADR  | Not dangerous goods |
| RID  | Not dangerous goods |
| ADN  | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | Not dangerous goods |

**14.2. UN proper shipping name**

|      |                     |
|------|---------------------|
| ADR  | Not dangerous goods |
| RID  | Not dangerous goods |
| ADN  | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | Not dangerous goods |

**14.3. Transport hazard class(es)**

|      |                     |
|------|---------------------|
| ADR  | Not dangerous goods |
| RID  | Not dangerous goods |
| ADN  | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | Not dangerous goods |

**14.4. Packing group**

|      |                     |
|------|---------------------|
| ADR  | Not dangerous goods |
| RID  | Not dangerous goods |
| ADN  | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | Not dangerous goods |

**14.5. Environmental hazards**

|      |                |
|------|----------------|
| ADR  | not applicable |
| RID  | not applicable |
| ADN  | not applicable |
| IMDG | not applicable |
| IATA | not applicable |

**14.6. Special precautions for user**

|      |                |
|------|----------------|
| ADR  | not applicable |
| RID  | not applicable |
| ADN  | not applicable |
| IMDG | not applicable |
| IATA | not applicable |

**14.7. Maritime transport in bulk according to IMO instruments**

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the article

No information available:

|  |                |
|--|----------------|
| Ozone Depleting Substance (ODS) (Regulation (EC) No 2024/590): | Not applicable |
| Persistent organic pollutants (Regulation (EU) 2019/1021):     | Not applicable |

### 15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

## SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H304 May be fatal if swallowed and enters airways.  
H351 Suspected of causing cancer.

|             |   |
|-------------|---|
| ED:         | Substance identified as having endocrine disrupting properties  |
| EU OEL:     | Substance with a Union workplace exposure limit   |
| EU EXPLD 1: | Substance listed in Annex I, Reg (EC) No. 2019/1148   |
| EU EXPLD 2: | Substance listed in Annex II, Reg (EC) No. 2019/1148  |
| SVHC:       | Substance of very high concern (REACH Candidate List)   |
| PBT:        | Substance fulfilling persistent, bioaccumulative and toxic criteria   |
| PBT/vPvB:   | Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very bioaccumulative criteria |
| vPvB:       | Substance fulfilling very persistent and very bioaccumulative criteria  |

### SDS Author:

|                       |  |
|-----------------------|--|
| Name and contact:     | Samiye Aysu Yılmaz<br>aysu.yilmaz@henkel.com |
| Certification number: | TÜV/11.196.05 (17.03.2023)                   |

**Further information:**

This Voluntary safety information has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the article in the state in which it is delivered. It is intended to describe our articles from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your\_company.com).

**Relevant changes in this voluntary safety information are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.**