



Revision Number: 002.0

Issue date: 12/03/2025

1. IDENTIFICATION

Product name:	Sista Acrílico Blanco	IDH number:	2758383
Product type/	Sealant		
Recommended use:			
Restriction of Use:	None identified	Region:	Mexico
Company address:		Contact information:	
Henkel Capital S.A. de C.V.		Telephone: +52 (55) 33003000	
Boulevard Magnocentro 8 – P2		SETIQ: Phone 01-800-00-214-00 (5559-1588)24 hours.	
Centro Urbano San Fernando la Herradura		SETIQ,, Telephone 01-800-00-214-00 (5559-1588)	
Huixquilucan Edo. de Mexico, C.P. 52760			

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

WARNING: H319 - CAUSES SERIOUS EYE IRRITATION.
H373 - MAY CAUSE DAMAGE TO ORGANS THROUGH PROLONGED OR REPEATED EXPOSURE.

HAZARD CLASS	HAZARD CATEGORY
EYE IRRITATION	2A
SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE	2

PICTOGRAM(S)



Precautionary Statements

Prevention:	P260 - Do not breathe dust. P264 - Wash affected area thoroughly after handling. P280 - Wear eye and face protection.
Response:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 - Get medical attention if you feel unwell. P337+P313 - If eye irritation persists: Get medical attention.
Storage:	Not prescribed
Disposal:	P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

Other hazards Not available.

Classification complies with NOM-018-STPS-2015 and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

IDH number: 2758383

Product name: Sista Acrílico Blanco

Hazardous Component(s)	CAS Number	UN no.:	Percentage*
Limestone	1317-65-3		30 - 60
1,4-Benzenedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester	6422-86-2		10 - 30
Ethylene glycol	107-21-1		5 - 10

* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

4. FIRST AID MEASURES

First Aid Measures by likely routes of exposure

Inhalation:	Move to fresh air, consult doctor if complaint persists.
Skin contact:	Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.
Eye contact:	Rinse immediately with plenty of running water, seek medical advice if necessary.
Ingestion:	Rinse mouth and throat. Drink 1-2 glasses of water. Seek medical advice.
Most important symptoms and effects (acute and delayed):	The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.
Indication of any immediate medical attention / special treatment needed:	Not available.

5. FIRE FIGHTING MEASURES

Extinguishing media:	carbon dioxide, foam, powder, water spray jet, fine water spray
Improper extinguishing agents:	High pressure waterjet
Special firefighting procedures:	Wear protective equipment. Wear self-contained breathing apparatus.
Unusual fire or explosion hazards:	In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO ₂) can be released.
Hazardous combustion products:	Not available.

6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

Environmental precautions:	Do not empty into drains / surface water / ground water.
Clean-up methods:	Remove mechanically. Dispose of contaminated material as waste according to Section 13.

7. HANDLING AND STORAGE

Handling: Ensure that workrooms are adequately ventilated. Wear protective equipment.

Storage: Ensure adequate ventilation. Store in sealed original container. Store in a dry place.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Limestone	10 mg/m3 TWA Inhalable particles. 3 mg/m3 TWA Respirable particles. 10 mg/m3 TWA Total dust.	5 mg/m3 PEL Respirable fraction. 15 mg/m3 PEL Total dust. 5 mg/m3 TWA Respirable fraction. 50 MPPCF TWA Total dust. 15 mg/m3 TWA Total dust. 15 MPPCF TWA Respirable fraction.	None	None
Ethylene glycol	25 ppm TWA Vapor fraction 50 ppm STEL Vapor fraction 10 mg/m3 STEL Aerosol, inhalable.	None	None	None

Engineering controls: Use only in well ventilated areas. Ensure good ventilation/suction at the workplace.

Respiratory protection: Suitable breathing mask when there is inadequate ventilation.

Eye/face protection: Protective goggles

Skin protection: Suitable protective clothing Use of Butyl or Nitrile Rubber gloves is recommended.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	solid
Color:	Colored
Odor:	Specific
Odor threshold:	Not available.
pH:	7 - 9
Vapor pressure:	23 hPa (20 °C (68°F))
Boiling point/range:	100 °C (212°F)
Melting point/ range:	0 °C (32°F)
Density/Relative density:	Not available.
Relative vapor density:	Not applicable, Product is a solid
Flash point:	Not applicable
Flammable/Explosive limits - lower:	Not available.
Flammable/Explosive limits - upper:	Not available.
Autoignition temperature:	Not available.
Flammability:	The product is not flammable.
Evaporation rate:	Not available.
Solubility:	Partially miscible Water
Partition coefficient n-octanol/water (logarithmic value):	Not available.

VOC content: Not available.
Dynamic viscosity: Not available.
Kinematic viscosity: Not available.
Particle characteristics: Not applicable, mixture is a paste.
Decomposition temperature: Not available.

10. STABILITY AND REACTIVITY

Stability: Stable under normal conditions of storage and use.
Reactivity: Not available.
Hazardous reactions: None under normal processing.
Hazardous decomposition products: None known.
Incompatible materials: None if used for intended purpose.
Conditions to avoid: None if used for intended purpose.

11. TOXICOLOGICAL INFORMATION

Likely routes of exposure Skin, Inhalation, Eyes, Ingestion

Potential Health Effects/Symptoms

Inhalation: May cause irritation to nose and throat.
Skin contact: Can cause moderate to severe skin irritation.
Eye contact: Causes serious eye irritation.
Ingestion: May cause irritation of the stomach

Hazardous Component(s)	LD50s and LC50s
Limestone	None
1,4-Benzenedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester	None
Ethylene glycol	Oral LD50 (Rat) = 5.89 g/kg Oral LD50 (Mouse) = 14.6 g/kg Dermal LD50 (Rabbit) = 9,530 mg/kg

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
Limestone	Nuisance dust		
1,4-Benzenedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester	Irritant		Central nervous system
Ethylene glycol	Irritant		Blood Bone Marrow Central nervous system Developmental Eyes Kidney Liver Metabolic

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Limestone	No	No	No
1,4-Benzenedicarboxylic acid, 1,4-bis(2-ethylhexyl) ester	No	No	No
Ethylene glycol	No	No	No

12. ECOLOGICAL INFORMATION

Ecological information:	Do not empty into drains, soil or bodies of water.
Ecotoxicity:	Not available.
Persistence and degradability:	Not available.
Bioaccumulative potential:	Not available.
Mobility:	Not available.
Other ecological information:	Not available.

13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

Recommended method of disposal: Dispose of in accordance with local and national regulations.

14. TRANSPORT INFORMATION

Road transport ADR:

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

International Air Transportation (ICAO/IATA)

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

Water Transportation (IMO/IMDG)

Proper shipping name:	Not regulated
Hazard class or division:	None
Identification number:	None
Packing group:	None

15. REGULATORY INFORMATION

No additional information

16. OTHER INFORMATION

This safety data sheet contains changes from the previous version in sections: 2, 3, 8, 9, 11

Prepared by: Product Safety and Regulatory Affairs
Issue date: 12/03/2025

DISCLAIMER: This information is considered correct, but it's not exhaustive and will be used only as a guide, which is based on current knowledge of the chemical substance(s) and/or mixture and apply to the appropriate product for safety precautions.

The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Capital does not assume responsibility for any results obtained by persons over whose methods Henkel Capital has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may

be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Capital's products. In light of the foregoing, Henkel Capital specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Capital's products. Henkel Capital further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Mexican Official Standard (NOM-018-STPS-2015) of the harmonized system for the identification and communication of hazards and risks from hazardous chemicals in the workplace and provides information in accordance with Mexican law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.