



Revision Number: 001.1

Issue date: 08/15/2025

**1. IDENTIFICATION**

<b>Product name:</b>	<b>FesterSIP R 630 4x4L</b>	<b>IDH number:</b>	2960154
<b>Product type/</b>	activator		
<b>Recommended use:</b>		<b>Region:</b>	Mexico
<b>Restriction of Use:</b>	None identified	<b>Contact information:</b>	
<b>Company address:</b>		Telephone: +52 (55) 33003000	
Henkel Capital S.A. de C.V.		SETIQ: Phone 01-800-00-214-00 (5559-1588)24 hours.	
Boulevard Magnocentro 8 – P2		SETIQ,, Telephone 01-800-00-214-00 (5559-1588)	
Centro Urbano San Fernando la Herradura			
Huixquilucan Edo. de Mexico, C.P. 52760			

**2. HAZARDS IDENTIFICATION**

**EMERGENCY OVERVIEW**

**DANGER:** H225 - HIGHLY FLAMMABLE LIQUID AND VAPOUR.  
 H315 - CAUSES SKIN IRRITATION.  
 H319 - CAUSES SERIOUS EYE IRRITATION.  
 H336 - MAY CAUSE DROWSINESS OR DIZZINESS.

HAZARD CLASS	HAZARD CATEGORY
FLAMMABLE LIQUID	2
SKIN IRRITATION	2
EYE IRRITATION	2A
SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE	3

**PICTOGRAM(S)**



**Precautionary Statements**

**Prevention:**

- P210 - Keep away from heat, sparks, open flames, hot surfaces - no smoking.
- P233 - Keep container tightly closed.
- P240 - Ground and bond container and receiving equipment.
- P241 - Use explosion-proof equipment.
- P242 - Use non-sparking tools.
- P243 - Take action to prevent static discharges.
- P261 - Avoid breathing mist/vapours.
- P264 - Wash affected area thoroughly after handling.
- P271 - Use only outdoors or in a well-ventilated area.
- P280 - Wear protective gloves, clothing, eye and face protection.

**Response:** P303+P361+P353 - If on skin (or hair): Take off immediately all contaminated clothing.  
P304+P340+P312 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or physician if you feel unwell.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P332+P313 - If skin irritation occurs: Get medical attention.  
P337+P313 - If eye irritation persists: Get medical attention.  
P362+P364 - Take off contaminated clothing and wash it before reuse.  
P370+P378 - In case of fire: Use foam, dry chemical or carbon dioxide to extinguish.

**Storage:** P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P403+P235 - Store in a well-ventilated place. Keep cool.  
P405 - Store locked up.

**Disposal:** P501 - Dispose of contents and/or container according to Federal, State/Provincial and local governmental regulations.

**Other hazards** Not available.

Classification complies with NOM-018-STPS-2015 and is consistent with the provisions of the United Nations Globally Harmonized System of Classification and Labeling of Chemicals (GHS).

See Section 11 for additional toxicological information.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous Component(s)	CAS Number	UN no.:	Percentage*
Ethanol	64-17-5	1170	60 - 80
n-butyl acetate	123-86-4	1123	10 - 30

\* Exact percentages may vary or are trade secret. Concentration range is provided to assist users in providing appropriate protections.

### 4. FIRST AID MEASURES

#### First Aid Measures by likely routes of exposure

**Inhalation:** Immediately remove victim to fresh air. Get immediate medical attention.

**Skin contact:** Rinse with running water and soap. Apply replenishing cream. Change all contaminated clothing.

**Eye contact:** Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if necessary.

**Ingestion:** Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.

**Most important symptoms and effects (acute and delayed):** The most important known symptoms and effects, both acute and delayed, are described in Section 11: Toxicological Information.

**Indication of any immediate medical attention / special treatment needed:** Not available.

### 5. FIRE FIGHTING MEASURES

**Extinguishing media:** carbon dioxide, foam, powder, water spray jet, fine water spray

**Improper extinguishing agents:** Not available.

**Special firefighting procedures:** Wear respiratory protection equipment according to ambient air conditions.

**Unusual fire or explosion hazards:** In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>) can be released.

**Hazardous combustion products:** Carbon dioxide. carbon monoxide

## 6. ACCIDENTAL RELEASE MEASURES

Use personal protection recommended in Section 8, isolate the hazard area and deny entry to unnecessary and unprotected personnel.

**Environmental precautions:** Do not empty into drains / surface water / ground water.

**Clean-up methods:** Remove mechanically. Remove with liquid-absorbing material (sand, peat, sawdust). Remove all sources of ignition. Avoid open flames and sources of ignition.

## 7. HANDLING AND STORAGE

**Handling:** Keep container tightly sealed. Avoid naked flames, sparking and sources of ignition. Ensure that workrooms are adequately ventilated. Avoid skin and eye contact.

**Storage:** Ensure adequate ventilation. Store in sealed original container. Store in a dry place.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Employers should complete an assessment of all workplaces to determine the need for, and selection of, proper exposure controls and protective equipment for each task performed.

Hazardous Component(s)	ACGIH TLV	OSHA PEL	AIHA WEEL	OTHER
Ethanol	1,000 ppm STEL	1,000 ppm (1,900 mg/m <sup>3</sup> ) PEL	None	None
n-butyl acetate	150 ppm STEL 50 ppm TWA	150 ppm (710 mg/m <sup>3</sup> ) PEL	None	None

**Engineering controls:** Use only in well ventilated areas. Switch off electrical devices.

**Respiratory protection:** Suitable breathing mask when there is inadequate ventilation. Use a NIOSH approved air-purifying respirator with an organic vapor cartridge.

**Eye/face protection:** Wear protective glasses with side-pieces.

**Skin protection:** Use chemical resistant, impermeable clothing including gloves and either an apron or body suit to prevent skin contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical state:** Liquid

**Color:** Colourless / Colorless

**Odor:** Alcohol

**Odor threshold:** Not available.

**pH:** Not applicable

**Vapor pressure:** 59.5 hPa (20 °C (68°F))

**Boiling point/range:** 78 °C (172.4 °F) Internal Henkel specification

**Melting point/ range:** -114 °C (-173.2 °F)

**Density/Relative density:** Not available.

**Relative vapor density:** 1.3 20 °C

**Flash point:** 12 °C (53.6 °F) Internal Henkel specification

<b>Flammable/Explosive limits - lower:</b>	3.3 %
<b>Flammable/Explosive limits - upper:</b>	19 %
<b>Autoignition temperature:</b>	Not available.
<b>Flammability:</b>	Not applicable
<b>Evaporation rate:</b>	Not available.
<b>Solubility:</b>	Not available.
<b>Partition coefficient n-octanol/water (logarithmic value):</b>	-0.35
<b>VOC content:</b>	Not available.
<b>Dynamic viscosity:</b>	Not available.
<b>Kinematic viscosity:</b>	Not available.
<b>Particle characteristics:</b>	Not available.
<b>Decomposition temperature:</b>	Not available.

## 10. STABILITY AND REACTIVITY

<b>Stability:</b>	Stable under normal conditions of storage and use.
<b>Reactivity:</b>	Not available.
<b>Hazardous reactions:</b>	None under normal processing.
<b>Hazardous decomposition products:</b>	In case of fire nitrogen oxides may be formed.
<b>Incompatible materials:</b>	Strong oxidizing agents. Reaction with strong bases Reaction with strong acids.
<b>Conditions to avoid:</b>	Keep away from sources of ignition and naked flames. Excessive heat.

## 11. TOXICOLOGICAL INFORMATION

<b>Likely routes of exposure</b>	Skin, Inhalation, Eyes, Ingestion
----------------------------------	-----------------------------------

**Potential Health Effects/Symptoms**

**Inhalation:** May cause respiratory tract irritation. Vapours may cause drowsiness and dizziness.  
**Skin contact:** Causes skin irritation.  
**Eye contact:** Causes serious eye irritation.  
**Ingestion:** Very toxic if swallowed.

Hazardous Component(s)	LD50s and LC50s
Ethanol	Oral LD50 (Rat) = 9.9 g/kg Oral LD50 (Rat) = 6.2 g/kg Oral LD50 (Rat) = 17.8 g/kg Oral LD50 (Rat) = 11.5 g/kg Oral LD50 (Mouse) = 3,450 mg/kg Oral LD50 (Rat) = 10.6 g/kg Oral LD50 (Rat) = 7,060 mg/kg Inhalation LC50 (Rat, 4 h) = 133.8 mg/l Inhalation LC50 (Rat, 4 h) = 124.7 mg/l Inhalation LC50 (Rat, 4 h) = > 115.9 mg/l Inhalation LC50 (Rat, 4 h) = 130.7 mg/l Inhalation LC50 (Rat, 4 h) = 128.2 mg/l Inhalation LC50 (Rat, 4 h) = 116.9 mg/l Inhalation LC50 (Mouse, 4 h) = 39 mg/l
n-butyl acetate	Oral LD50 (Rat) = 14,000 mg/kg Oral LD50 (Rat) = 14,130 mg/kg Inhalation LC50 (Rat, 4 h) = > 21 mg/l Inhalation LC50 (Rat, 4 h) = > 23.4 mg/l Inhalation LC50 (Rat, 4 h) = > 6.6 mg/l Inhalation LC50 (Rat, 4 h) = 0.74 mg/l Inhalation LC50 (Rat, 4 h) = 1.802 mg/l Inhalation LC50 (Rat, 4 h) = > 4.9 mg/l Inhalation LC50 (Rat, 4 h) = 1109 ppm Inhalation LC50 (Rat, 4 h) = 1087 ppm Inhalation LC50 (Rat, 4 h) = > 71.5 mg/l Inhalation LC50 (Rat, 4 h) = > 21.1 mg/l Inhalation LC50 (Rat, 4 h) = 1096 ppm

Hazardous Component(s)	Immediate Health Effects	Delayed Health Effects	Chronic Health Effects
Ethanol	Irritant		Central nervous system
n-butyl acetate	Irritant		Central nervous system

Hazardous Component(s)	NTP Carcinogen	IARC Carcinogen	OSHA Carcinogen (Specifically Regulated)
Ethanol	Known To Be Human Carcinogen.	Group 1	No
n-butyl acetate	No	No	No

**12. ECOLOGICAL INFORMATION**

**Ecological information:** Do not empty into drains / surface water / ground water.  
**Ecotoxicity:** Not available.  
**Persistence and degradability:** Not available.  
**Bioaccumulative potential:** Not available.  
**Mobility:** Not available.  
**Other ecological information:** Not available.

### 13. DISPOSAL CONSIDERATIONS

Information provided is for unused product only.

**Recommended method of disposal:** Dispose of in accordance with local and national regulations.

### 14. TRANSPORT INFORMATION

**Road transport ADR:**

**Proper shipping name:** COATING SOLUTION  
**Hazard class or division:** 3  
**Identification number:** UN 1139  
**Packing group:** II

**International Air Transportation (ICAO/IATA)**

**Proper shipping name:** Coating solution  
**Hazard class or division:** 3  
**Identification number:** UN 1139  
**Packing group:** II

**Water Transportation (IMO/IMDG)**

**Proper shipping name:** COATING SOLUTION  
**Hazard class or division:** 3  
**Identification number:** UN 1139  
**Packing group:** II

### 15. REGULATORY INFORMATION

No additional information

### 16. OTHER INFORMATION

**This safety data sheet contains changes from the previous version in sections:** Reviewed MSDS. Reissued with new date.

**Prepared by:** Product Safety and Regulatory Affairs  
**Issue date:** 08/15/2025

**DISCLAIMER: This information is considered correct, but it's not exhaustive and will be used only as a guide, which is based on current knowledge of the chemical substance(s) and/or mixture and apply to the appropriate product for safety precautions.**

The data contained herein are furnished for information only and are believed to be reliable. However, Henkel Capital does not assume responsibility for any results obtained by persons over whose methods Henkel Capital has no control. It is the user's responsibility to determine the suitability of Henkel's products or any production methods mentioned herein for a particular purpose, and to adopt such precautions as may be advisable for the protection of property and persons against any hazards that may be involved in the handling and use of any of Henkel Capital's products. In light of the foregoing, Henkel Capital specifically disclaims all warranties, express or implied, including warranties of merchantability and fitness for a particular purpose, arising from sale or use of Henkel Capital's products. Henkel Capital further disclaims any liability for consequential or incidental damages of any kind, including lost profits.

This Safety Data Sheet has been generated based on the Mexican Official Standard (NOM-018-STPS-2015) of the harmonized system for the identification and communication of hazards and risks from hazardous chemicals in the workplace and provides information in accordance with Mexican law only. No warranty or representation of any kind is given with respect to the substantive or export laws of any other jurisdiction or country. Please confirm that the information provided herein conforms to the substantive export or other law of any other jurisdiction prior to export. Please contact Henkel Product Safety and Regulatory Affairs for additional assistance.